

MSDS Document

Product Dynatex® 49474 Sleeve Retainer

1. Chemical Product and Company Identification

Trade Name of this Product Dynatex® 49474 Sleeve Retainer

MSDS ID DYN49474

Manufacturer

Dynatex Inc.
350 Ring Road
Elizabethtown, KY 42701


Phone Number

(270) 769-3385

Emergency Phone

CHEMTREC (800) 424-9300

Revision Date 8/4/2008



Health:	1
Fire:	1
Reactivity:	1
Specific:	

2. Composition and Information on Ingredients

Ingredient	CAS Number	Weight %	ACGIH TLV	PEL	STEL
Dimethacrylate Ester	25852-47-5	65% - 75%			
Bisphenol A Fumarate Resin	39382-25-7	20% - 30%			
Saccharin	81-07-2	1% - 3%			
Polyethylene	9002-88-4	1% - 3%			
Cumene Hydroperoxide	80-15-9	1% - 3%	1 ppm Skin	None	
Amorphous fumed silica	112945-52-5	0.1% - 1%	10 mg/m3	6 mg/m3	
Organic Acid	Trade Secret	0.1% - 1%			
Dyes	Trade Secret	0.03% - 1%			

3. Hazard Identification

Primary Routes of Entry

Eye contact, skin contact.

Toxicity

Mild eye irritant

Symptoms of Overexposure

May cause dermatitis with prolonged contact on sensitive individuals. May cause respiratory tract irritation.

Existing Conditions Aggravated by Exposure

Eye, skin and respiratory disorders.

4. First Aid Information**Eye Contact**

Flush with warm water for several minutes. Obtain medical attention.

Skin Contact

Wash affected area thoroughly with soap and water. Remove contaminated clothing and laundry before re-use. Get medical attention if irritation develops.

Inhalation

Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Ingestion

Do not induce vomiting. Keep calm. Obtain medical attention.

5. Fire Fighting Measures

Flash Point > 200F
FP Method TCC

Extinguishing Media

Carbon Dioxide, Dry Chemical, Foam

Special Fire Fighting Procedures

None

Unusual Fire or Explosion Hazards

None known

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:

Irritating organic vapors

Oxides of carbon, sulfur and nitrogen.

6. Accidental Release Measures**Steps to be taken in case of spill or release**

Observe all personal protection equipment recommendations. Soak up with inert absorbent.

Store in a partly filled, closed container until disposal. Prevent product from entering drains. Local, state and federal regulations may apply to releases and disposal of this material, as well as those materials and items employed in cleanup of releases.

7. Handling and Storage

Handling

Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or mist.

Storage

Store at or below 100F. Keep away from heat, sparks and open flames.

8. Exposure Controls and Personal Protection

Eye Protection

Safety goggles or glasses with side shields are recommended.

Skin Protection

Rubber, polyethylene, or neoprene gloves.

Ventilation

Local exhaust ventilation is recommended to maintain vapor level below TLV.

Respiratory Protection

Use NIOSH approved respirator for individuals who are sensitive.

9. Physical and Chemical Properties

Physical State	Liquid
Specific Gravity	1.1
Color/Appearance	Green
Odor	Mild
Boiling/Cond. Point	> 300°F
Solubility	Slight in water
Evaporation Rate	Not Applicable
VOC %	22.9% 256 g/L
Vapor Density	Approx. 3 (Air=1)
Vapor Pressure	< 5mm Hg @ 80°F

Note

The above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

10. Stability and Reactivity

Chemical Stability

Stable

Conditions to Avoid

None known

Hazardous Polymerization

Will not occur

Hazardous Decomposition Products

Oxides of carbon, sulfur, and nitrogen

11. Toxicological Information

Component Toxicology Information

No known applicable information.

Special Hazard Information on Components

No known applicable information.

12. Ecological Information

Environmental Fate and Distribution

Complete information is not yet available.

Environmental Effects

Complete information is not yet available.

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

13. Disposal Considerations

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

14. Transportation Information

Ocean Shipment (IMDG)

Not subject to IMDG code.

DOT Road Shipment Information

Not subject to DOT.

Air Shipment (IATA)

Not subject to IATA regulations.

15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section 302 Extremely Hazardous Substances

None

SARA Title III Section 304 CERCLA Hazardous Substances

None

SARA Title III Section 312 Hazard Class

Acute: Yes

Chronic: No

Fire: No

Pressure: No

Reactive: No

SARA Title III Section 313 Toxic Chemicals

Cumene Hydroperoxide (80-15-9)

California Proposition 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

Saccharin. Proper usage necessitates no Proposition 65 warning.

New Jersey

Cumene hydroperoxide (80-15-9)

Saccharin (81-07-2)

Pennsylvania

Cumene hydroperoxide (80-15-9)

Saccharin (81-07-2)

16. Other Information

Disclaimer

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements to suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.

