

MSDS Document

Product Dynatex® 49486 Pipe Sealant w/ PFTE

1. Chemical Product and Company Identification

Trade Name of this Product Dynatex® 49486 Pipe Sealant w/ PFTE

MSDS ID DYN49486

Manufacturer

Dynatex Inc.
350 Ring Road
Elizabethtown, KY 42701


Phone Number

(270) 769-3385

Emergency Phone

CHEMTREC (800) 424-9300

Revision Date 4/27/2007



Health:	1
Fire:	1
Reactivity:	1
Specific	

2. Composition and Information on Ingredients

Ingredient	CAS Number	Weight %	ACGIH TLV	PEL	STEL
Titanium Dioxide	13463-67-7	1% - 5%	10 mg/m3	15 mg/m3	
Cumene Hydroperoxide	80-15-9	1% - 3%	1 ppm Skin	None	
Amorphous fumed silica	112945-52-5	0.1% - 1%	10 mg/m3	6 mg/m3	

3. Hazard Identification

Primary Routes of Entry

Eye contact, skin contact.

Symptoms of Overexposure

May cause dermatitis with prolonged contact on sensitive individuals.

Existing Conditions Aggravated by Exposure

No known applicable information.

4. First Aid Information

Ingestion

Do not induce vomiting. Keep calm. Obtain medical attention.

Inhalation

Not known to cause inhalation problems.

Skin Contact

Wash affected area with soap and water.

Eye Contact

Flush with warm water for several minutes. Obtain medical attention.

5. Fire Fighting Measures

Flash Point	>200F	>93C
FP Method	TCC	

Extinguishing Media

Carbon Dioxide, Dry Chemical, Foam

Special Fire Fighting Procedures

None

Unusual Fire or Explosion Hazards

None known

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:
Irritating organic vapors

6. Accidental Release Measures**Steps to be taken in case of spill or release**

Observe all personal protection equipment recommendations. Soak up with inert absorbent. Store in a partly filled, closed container until disposal. Prevent product from entering drains. Local, state and federal regulations may apply to releases and disposal of this material, as well as those materials and items employed in cleanup of releases.

7. Handling and Storage**Storage**

Store below 100°F.

Handling

Avoid contact with skin and eyes.

8. Exposure Controls and Personal Protection**Eye Protection**

Safety goggles or glasses with side shields are recommended.

Skin Protection

Rubber, polyethylene, or neoprene gloves.

Ventilation

Does not apply.

Respiratory Protection

Does not apply.

9. Physical and Chemical Properties

Physical State	Paste
Specific Gravity	1.1
Color/Appearance	Off-white
Odor	Mild
Boiling/Cond. Point	>300F >149C
Solubility	Negligible
Evaporation Rate	Not Applicable
VOC %	0.111% 1.2 g/L
Vapor Density	Approx. 3 (Air=1)
Vapor Pressure	< 5mm Hg @ 27C

Note

The above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

10. Stability and Reactivity

Chemical Stability

Stable

Hazardous Polymerization

Will not occur

Materials to Avoid

Avoid contact with strong oxidizers.

Hazardous Decomposition Products

None

11. Toxicological Information

Component Toxicology Information

No known applicable information.

Special Hazard Information on Components

No known applicable information.

12. Ecological Information

Environmental Fate and Distribution

Complete information is not yet available.

Environmental Effects

Complete information is not yet available.

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

13. Disposal Considerations**Waste Disposal Method**

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

14. Transportation Information**DOT Road Shipment Information**

Not subject to DOT.

Ocean Shipment (IMDG)

Not subject to IMDG code.

Air Shipment (IATA)

Not subject to IATA regulations.

15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA Title III Section 302 Extremely Hazardous Substances

None

SARA Title III Section 304 CERCLA Hazardous Substances

None

SARA Title III Section 312 Hazard Class

Acute: Yes

Chronic: No

Fire: No

Pressure: No
Reactive: No

SARA Title III Section 313 Toxic Chemicals

Cumene Hydroperoxide (80-15-9)

California Proposition 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

New Jersey

Cumene hydroperoxide (80-15-9)

Titanium dioxide (13463-67-7)

Pennsylvania

Cumene hydroperoxide (80-15-9)

Titanium dioxide (13463-67-7)

16. Other Information

Disclaimer

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements to suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.